

Sample Received: July 3, 2026

COA Issued: July 7, 2026

PRODUCT INFORMATION

Vendor: PHRH Sample Name: Selank/ Semax 20mg Sample Type: White lyophilized powder Lot Number: SLKSMX-20-326 MW (g/mol): 751.9, 813.9

ANALYTICAL METHODS

Identity: Confirmed via LC-MS



Purity: RP-HPLC (214 nm)

Content: HPLC quantitation

TEST RESULTS

Specification	Result	Method	Status
Identity: Selank/ Semax	Selank, Semax	LC-MS/MS	✓ Conforms
Content	10.25, 10.83 mg	HPLC Quantitation	✓ Conforms
Overall Purity	99.8%	RP-HPLC (214 nm)	✓ Conforms
Endotoxin	<0.05 EU/mL	<USP85>	✓ Conforms
Heavy Metals	<0.01 ppm	<USP232>	✓ Conforms

HPLC Chromatogram (Retention Time: 2.296, 9.297 min)



Certification: This COA confirms that the tested material meets or exceeds Bioviridian's analytical quality specifications for peptide research use.

Visit: <https://bioviridians.com/coa-search.html>*Shane Straight*

Shane Straight, M.S.

Principal Chemist, Bioviridian Inc.