# BIOVIRIDIAN

Excellence in HPLC-MS Analysis

# CERTIFICATE OF ANALYSIS

Web Verification Code: **COA9709**

SAMPLE RECEIVED
**September 18, 2026**

COA ISSUED
**September 25, 2026**

## SAMPLE INFORMATION

Vendor
**PHRH LLC**

Sample Name
**BPC-157 500mcg**

Sample Type
**Capsule**

Lot Number
**bpc1500-926**

Molecular Weight
**1419.5 g/mol**

## ANALYTICAL METHODS


**Identity:** Confirmed via LC–MS/MS
**Purity:** RP-HPLC (214 nm)
**Content:** HPLC quantitation


## TEST RESULTS

| Specification | Result | Method | Status |
|---|---|---|---|
| Identity: BPC-157 | BPC-157 | LC-MS/MS | ✓ Conforms |
| Content | 501.89 mg | HPLC Quantitation | ✓ Conforms |
| Overall Purity | 99.72% | RP-HPLC (214 nm) | ✓ Conforms |
| Endotoxin | <0.05 EU/ml | <USP85> | ✓ Conforms |
| Heavy Metals | <0.01 ppm | <USP232> | ✓ Conforms |

**HPLC Chromatogram · Retention Time** 9.206 **min**




**Certification:** This Certificate of Analysis confirms that the tested material meets or exceeds Bioviridian's analytical quality specifications for peptide research use.

Verify authenticity at **bioviridians.com/coa-search.html** using the Web Verification Code above.

info@bioviridians.com

Shane Straight

**Shane Straight, M.S.**
Principal Chemist, Bioviridian Inc.